

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO
09/892,872	06/28/2001	Tatsuya Shimoda	109975	3054
25944 7	590 03/04/2004		EXAMINER	
OLIFF & BERRIDGE, PLC			BAUMEISTER, BRADLEY W	
P.O. BOX 19928 ALEXANDRIA, VA 22320		ART UNIT	PAPER NUMBER	
			2815	

Please find below and/or attached an Office communication concerning this application or proceeding.

		Ø			
	Application No.	Applicant(s)			
	09/892,872	SHIMODA ET AL.			
Office Action Summary	Examiner	Art Unit			
	B. William Baumeister	2815			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply If NO period for reply is specified above, the maximum statutory period was really received by the office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	66(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) day ill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 10 December 2003.					
· <u> </u>	action is non-final.				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
closed in accordance with the practice under E	x parte Quayle, 1955 C.D. 11, 45	03 O.G. 213.			
Disposition of Claims					
4) ☐ Claim(s) 1-25 is/are pending in the application. 4a) Of the above claim(s) 7,11 and 17 is/are wit 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-6,8-10,12-16 and 18-25 is/are reject 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/or	ted.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) access applicant may not request that any objection to the Replacement drawing sheet(s) including the correct and the order of th	epted or b) objected to by the l drawing(s) be held in abeyance. See ion is required if the drawing(s) is ob	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau * See the attached detailed Office action for a list	s have been received. s have been received in Applicati ity documents have been receive ı (PCT Rule 17.2(a)).	on No ed in this National Stage			
Attachment(s)					
1) Notice of References Cited (PTO-892)	4) Interview Summary				
2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 1/26/03	Paper No(s)/Mail Di 5) Notice of Informal P 6) Other:	ate Patent Application (PTO-152)			

Application/Control Number: 09/892,872

Art Unit: 2815

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
- 2. Claims 1-6, 8-10, 12-16 and 18-25 are rejected under 35 U.S.C. 103(a) as being unpatentable over either Smith et al. '186 in view of Applicant's prior art and WO '170, all as applied to the claims in the previous Office Actions.
 - a. As was explained in the prior Office Action(s), Applicant's prior art admissions acknowledged that it was known to provide a ferroelectric capacitor defined by an intersection of row and column electrodes sandwich a ferroelectric film common to the massive matrix array. WO '170—acknowledged by Applicant as being conventional prior art in the present specification—provides additional details about the conventional periphery circuitry that was not fully explained by Applicant's prior art admissions. See e.g., col. 7, lines 15-18 and FIG 10 teaching that the conventional FEPMAs were driven by peripheral word-line and bit-line drivers. The limitation, "separately fabricated" was addressed previously.

Response to Arguments

3. Applicant's arguments filed 11/4/2003 and 12/10/2003 have been fully considered but they are not persuasive for the reasons set forth previously and hereinabove.

Conclusion

4. Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to B. William Baumeister whose telephone number is (571) 272-1722. The examiner can normally be reached on M-F 8-5.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Tom Thomas can be reached on (571) 272-1664. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 09/892,872 Page 4

Art Unit: 2815

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

B. William Baumeister Primary Examiner Art Unit 2815

BRADLEY BAUMEISTER
PRIMARY EXAMINER